



PNEUPOWER.COM COMPRESSORRoom.COM

Air Compressors

5.14.2022



Horse Power	Tank Size
15	120 Gallons
Voltage	CFM
208/230/460 3-Phase	55.9 ACFM @ 125 PSI

QGS-15
\$7,699



Horse Power	Tank Size
15	120 Gallons
Voltage	CFM
208/230/460 3-Phase	55.9 ACFM @ 125 PSI

QGS-15 w Dryer
\$10,699



Horse Power	Tank Size
20	120 Gallons
Voltage	CFM
208/230/460 3-Phase	60.8 ACFM @ 125 PSI

QGS-20S TMD
\$12,799



Horse Power	Tank Size	Voltage	CFM
25	120 Gallons	208/230/460 3-Phase	99.4 ACFM @ 125 PSI

QGS-25 TM
\$14,999

Horse Power	Tank Size	Voltage	CFM
25	120 Gallons	208/230/460 3-Phase	99.4 ACFM @ 125 PSI

QGS-25 TMD
\$17,699



Horse Power	Tank Size	Voltage	CFM
30	120 Gallons	208/230/460 3-Phase	113.8 ACFM @ 125 PSI

QGS-30 TM
\$16,499



Horse Power	Voltage	CFM
40	230/460 3-Phase	155 ACFM @ 125 PSI

QGS-40
\$15,799

www.pneupower.com

Direct Drive Premium Rotary Screws



Horse Power	Voltage	Tank Size	CFM
30	208/230/460 3-Phase	120 Gallons	131.9 ACFM @ 125 PSI

QGD-30TM
\$20,299



Horse Power	Voltage	CFM
50	230/460 3-Phase	229.7 ACFM @ 125 PSI

QGD-50
\$22,999

Prices subject to change without notice.

Variable Speed Screws

QGSV-30



Horse Power
30
Voltage
460 3-Phase
PSI
75 - 175
CFM
139 ACFM @ 100 PSI

\$17,399

QGV-50 Super Premium Rotary Screw



QFD Drive
Unique thru-the-wall design. Allows for IP5X protection

Touch Controller
Advanced color display



Horse Power	Voltage	PSI	CFM
50	230/460 3-Phase	75 - 150	255.7 ACFM @ 100 PSI

\$30,999

QSI SERIES

Premium Rotary Screw

INDUSTRIAL
ISS
SUPPLY & SERVICE, LLC

Model	PSI	ACFM	Price*
QSI-50	125	229.9	\$25,952
QSI-60	125	281.6	\$30,847
QSI-75	125	345.7	\$36,959
QSI-100	125	472.6	\$43,202
QSI-125	125	553.7	\$51,206
QSI-150	125	699.0	\$63,849
QSI-175	125	809.5	\$68,172
QSI-200	125	934.2	\$72,496

*Special price available only on stock units.
Plus freight from Shreveport, LA warehouse.



Equipped with:
NEMA 4 Electrical
Package Pre-Filter
TEFC Motors



Q-Airend

New design utilizes a combination of cylindrical roller bearings to handle radial loads and angular contact bearing for thrust loads. This airend is designed for 100,000+ hours of continuous operation.



Advanced Efficient Control

- **Total Control**
 - Touch screen, real time clock
 - Scheduling
- **Integrated Networking**
 - Up to six units
- **Intuitive Icon Based Controller**
- **Energy Savings**
 - Dual pressure band, timer based start/stop
 - Auto restart after power failure
- **ICONS Q-Connect**
- **Cellular Connecting**
 - Text message, email alerts via UpTime paid connectivity program

EXTREME ENVIRONMENT Variable Speed Compressor



BADGERXE

QFD Drive
Unique thru-the-wall
design. Allows for
IP5X protection

IPX5



Onboard
Surge Suppressor



Ambient
Temperature



115 °F

Electrical
Enclosure

NEMA 4
RATED ENCLOSURE

NOW YOU CAN \$AVE ENERGY ANYWHERE

Model	PSI	ACFM	
		Min	Max
QGV-40XE	75-100	67.0	209.1
QGV-50XE	75-100	67.0	255.7
QGV-60XE	75-100	67.0	302.8
QGV-75XE	75-100	129.5	382.0
QGV-100XE	75-100	132.2	510.0
QGV-125XE	75-100	132.2	597.0



Prices subject to change without notice.

Quincy QT Series Reciprocating Air Compressors



- Two-Stage
- 230 volt, single phase
- No Starter Required

Horse Power	Tank Size
5	60 Gallons
Voltage	CFM
230 1-Phase	15.2 ACFM @ 175 PSI

2V41C60VC
\$1,699



- Two-Stage
- 230 volt, single phase
- Combo Starter / PS

Horse Power	Tank Size
5	80 Gallons
Voltage	CFM
230 1-Phase	17.2 ACFM @ 175 PSI

251CS80VCB
\$2,999

Full Size Industrial Single Phase Motor



- Two-Stage
- 230 or 460 volt, Three phase
- Starter Mounted & Wired

Horse Power	Tank Size
5	80 Gallons
Voltage	CFM
230/460 3-Phase	17.2 ACFM @ 175 PSI

253DS80VCB
\$2,999

Prices subject to change without notice.



- Two-Stage
- 230 volt, Single Phase
- Starter Mounted & Wired

Horse Power	Tank Size
7.5	80 Gallons
Voltage	CFM
230 1-Phase	22.6 ACFM @ 175 PSI

271CS80VCB
\$3,999



- Two-Stage
- 230 or 460 volt, Three Phase
- Starter Mounted & Wired

Horse Power	Tank Size
7.5	80 Gallons
Voltage	CFM
230/460 3-Phase	22.6 ACFM @ 175 PSI

273CS80VCB
\$3,399



Optional NO BULL Warranty



3-Year Pump
2-Year Package
Warranty

Purchase Extended Warranty Kit (EWK) with compressor, register on-line and properly maintain the compressor for the three year-period when used according to the Instruction Manual

Part Number	Description	Price
2022163600	EWK-1 Single Stage Kit	\$129.63
2022163601	EWK-2 QT-54 Kit	\$203.71
2022163602	EWK-3 QT-5/QT-7.5 Kit	\$301.93
2022163603	EWK-4 QT-10 Kit	\$558.91
2022163604	EWK-5 QT-15 Kit	\$616.29

QTG-14K-30AM G214K30HCD

HIGH OUTPUT



\$3,299

Horse Power	Tank Size	CFM
14 Gasoline	30 Gallons	23.6 ACFM @ 175 PSI

QTG-13H-30AM G213H30HCB

HONDA



\$3,399

Horse Power	Tank Size	CFM
13 Gasoline	30 Gallons	23.6 ACFM @ 175 PSI



- Two-Stage
- 230 or 460 volt, Three phase
- Starter Mounted & Wired

Horse Power	Tank Size
10	120 Gallons
Voltage	CFM
230/460 3-Phase	35.0 ACFM @ 175 PSI

P2103DS12HCB
\$4,599



- Two-Stage
- 230 or 460 volt, Three phase
- Starter Mounted & Wired


Horse Power	Tank Size
15	120 Gallons
Voltage	CFM
230/460 3-Phase	51.0 ACFM @ 175 PSI

2153DS12HCA
\$6,299

LS Option - Constant Run or Start/Stop Operation w/ Suction Valve Unloaders!

MAX UPGRADE

QT Max Package



- ODP Slow Speed Motor
- Motor Overload Protection
- Automatic Tank Drain
- Dual Control
- Low Oil Level Shutdown
- Air Cooled Aftercooler

2153DS12HCAxxM
\$7,399

QPVS

**Variable Speed
Refrigerated Air Dryers
210 - 2100 cfm**

**Energy Savings and Constant
Stable Dew Point**



Features:

- Rugged ABB Inverter
- Reduced pressure Control Touch Controller
- Built in ICONS for online monitoring
- 2 Year Package loss heat exchanger
- Networkable Q-e Warranty
- 10 Year Heat Exchanger Warranty
- Quick Return on Investment



Model	Capacity (scfm)	Connection	Voltage (Standard)	Price
QPVS-210	210	1-1/2" NPT	460/3/60	\$7,219
QPVS-300	300	2" NPT	460/3/60	\$9,543
QPVS-380	380	2" NPT	460/3/60	\$11,075
QPVS-465	465	2-1/2" NPT	460/3/60	\$12,253
QPVS-550	550	2-1/2" NPT	460/3/60	\$13,548
QPVS-635	635	3" NPT	460/3/60	\$13,631
QPVS-850	850	3" NPT	460-3-60	\$19,395
QPVS-1050	1050	3" NPT	460-3-60	\$23,080
QPVS-1600	1600	4" FLG	460-3-60	\$32,020
QPVS-1800	1800	6" FLG	460-3-60	\$35,131
QPVS-2100	2100	6" FLG	460/3/60	\$38,795

QPNC - Non-Cycling Refrigerated Air Dryers

Model	Capacity (scfm)	Connection (inches NPT)	Voltage (Standard)	Price	Recommended Pre-filter	Pre-filter Price
QPNC 64	50	1/2	115-1-60	\$1,998	QMF-50' (1/2")	\$265
QPNC 83	75	1	115-1-60	\$2,221	QMF-105' (1")	\$512
QPNC 106	100	1	115-1-60	\$2,443	QMF-105' (1")	\$512
QPNC 127	125	1 1/2	115-1-60	\$2,999	QMF-321' (1 1/2")	\$869
QPNC 184	175	1 1/2	230-1-60	\$3,332	QMF-321' (1 1/2")	\$869
QPNC 229	200	1 1/2	230-1-60	\$4,110	QMF-321' (1 1/2")	\$869
QPNC 297	250	1 1/2	460-3-60	\$4,777	QMF-321' (1 1/2")	\$869
QPNC 354	300	2	460-3-60	\$5,554	QMF-450' (2")	\$1,117
QPNC 424	360	2	460-3-60	\$6,332	QMF-450' (2")	\$1,117
QPNC 530	500	2 1/2	460-3-60	\$7,887	QMF-700' (2")	\$1,293
QPNC 663	600	2 1/2	460-3-60	\$9,332	QMF-700' (2")	\$1,293
QPNC 750	750	3"	460-3-60	\$11,887	QMF-900' (3")	\$1,864
QPNC 1000	1000	3"	460-3-60	\$16,221	QMF-1250 (3")	\$2,211
QPNC 1250	1250	3"	460-3-60	\$19,999	QMF-1250 (3")	\$2,211
QPNC 1600	1600	6" Flg	460-3-60	\$23,221	QMF-1800 (4" Flg)	\$6,233
QPNC 2200	2200	6" Flg	460-3-60	\$25,554	QMF-2400 (4" Flg)	\$6,245

FEATURES

Zero Loss
Drain
38 °F
Dew Point



COOL

**Compact & Efficient
Refrigerated Air Dryers
15 - 275 cfm**

COOL Refrigerated Air Dryers

The compact & efficient COOL range of refrigerated dryers offer reliable components in a simple vertical lay-out. This design makes them simple to install while saving valuable floor space. Economical COOL dryers deliver a 50°F dew point.




Model	Capacity (scfm)	Connection (inches NPT)	Voltage (Standard)	Price
COOL 15	15	1/2	115-1-60	\$888
COOL 25	25	1/2	115-1-60	\$999
COOL 50	50	1/2	115-1-60	\$1,332
COOL 100	100	1	115-1-60	\$1,888
COOL 150	150	1-1/2	230-1-60	\$2,443
COOL 200	200	1-1/2	230-1-60	\$2,443
COOL 250	250	1-1/2	230-1-60	\$2,554
COOL 275	275	1-1/2	230-1-60	\$3,554

Prices subject to change without notice.

Industrial ASME Coded Vertical Air Receivers with Durable Powder Coat Finish



Part #	Gal	Max Working Pressure	Lbs	Dimensions in Inches					NPT Openings						Price
				OD	TL	TH	A	B	C	D	E	F	G	H	
A10049PC	120	200	329	24	67	75	21	8	1	2	½	2	1 ½	¼	\$1,753
A10053PC	240	200	497	30	84	92	27	8	1	2	½	2	1 ½	¼	\$3,066
A10129PC	500	165	950	36	116	124	33	8	1	2	½	3	1 ½	¼	\$5,540



Tank Kit 1" Safety Valve, 165 psi, 1358 scfm with 2 1/2" liquid filled gauge, 1/2" Ball Valve MXM use with A10129PC and up to 250 HP air compressor.

TKG165-Q300MG \$203



Tank Kit 1 1/2" x 1 1/2" Safety Valve, 165 psi, 1750 scfm with 4" liquid filled gauge use with A10129PC and up to 300 HP air compressor.

TKM165-R300 \$578



Tank Kit 1/2" Safety Valve, 200 psi, 358 scfm with 2 1/2" liquid filled gauge, 1/2" Ball Valve MXF use with A10049PC and up to 60 HP air compressor.

TKC200-Q300MC \$99



Tank Kit 1" Safety Valve, 200 psi, 1624 scfm with 2 1/2" liquid filled gauge, 1/2" Ball Valve MXM use with A10053PC and up to 300 HP air compressor.

TKG200-Q300MG \$203



Gauges

Gauges are dual scale psi/kpa. Dry gauges have a black steel case with chrome bezel. Liquid filled gauges have a stainless steel case and bezel. All gauges have brass internals and brass 1/4" NPT connection.

PART#	Description	Price
Dry Gauges/Back Mount		
PSB20-300	2", 0-300 PSI	\$9.99
PSB25-300	2 1/2", 0-300 PSI	\$12.95
PSB45-300	4 1/2", 0-300 PSI	\$39.99
Dry Gauges/Lower Mount		
PSL20-300	2", 0-300 PSI	\$9.99
PSL25-300	2 1/2", 0-300 PSI	\$12.95
PSL45-300	4 1/2", 0-300 PSI	\$39.99
Liquid Filled Gauges/Back Mount		
LFSB20-300	2", 0-300 PSI	\$29.99
LFSB25-300	2 1/2", 0-300 PSI	\$32.50
LFSB40-300	4", 0-160 PSI	\$79.99
Liquid Filled Gauges/Lower Mount		
LFSL25-300	2", 0-300 PSI	\$29.99
LFSL40-300	4", 0-300 PSI	\$79.99

ASME Coded Pressure Relief Valves



Part #	NPT	Pressure	Flow	Price
2961-75	1/4"	75 PSI		\$37.98
2961-100	"	100 PSI		\$37.98
2961-125	"	125 PSI		\$44.86
2961-150	"	150 PSI		\$35.34
2961-175	"	175 PSI		\$37.23
2961-200	"	200 PSI		\$37.23
2961-250	"	250 PSI		\$45.62
2961-300	"	300 PSI		\$43.77
SB50-100	1/2"	100 PSI	413	\$65.67
SB50-125	"	125 PSI	504	\$65.67
SB50-150	"	150 PSI	595	\$65.67
SB50-175	"	175 PSI	686	\$65.67
SB50-200	"	200 PSI	777	\$65.67

UL & CSA Approved

Available in sizes 1/4" through 4" Forged Brass, Full Port, 600 CWP, 150 WSP Service. Suitable for vacuum service to 29.9" HG, Teflon® o-rings through 1-1/4". Viton® o-ring on stem 1-1/2" & 2". Hard chrome plated brass ball, steel handle with vinyl grip. Operating temperatures -40 to +365 degrees F.



Part #	Size	Price
FBB-25	FxF 1/4"	\$7.95
FBB-38	FxF 3/8"	\$7.95
FBB-50	FxF 1/2"	\$9.99
FBB-75	FxF 3/4"	\$14.99
FBB-100	1"	\$19.99
FBB-125	FxF 1-1/4"	\$35.00
FBB-150	FxF 1-1/2"	\$48.00
FBB-200	FxF 2"	\$68.30
FBB-250	FxF 2-1/2"	\$183.64
FBB-300	FxF 3"	\$251.40

Prices subject to change without notice.

ASME Soft Seat

All Brass with Stainless Steel Springs

Maximum Temperature 250 F

Available Stock Pressures:

- 125 psi • 150 psi
- 135 psi • 165 psi
- 140 psi • 200 psi

Part #	NPT	Pressure	Flow	Price
SB75-165	3/4"	165 PSI	649	\$72.76
SB75-200	3/4"	200 PSI	777	\$72.76
SW10-165	1"	165 PSI	1358	\$87.02
SW10-200	1"	200 PSI	1624	\$87.02

ASME Hard Seat Side Venting

Cast Bronze with Stainless Steel Springs

Maximum Temperature 406 F

Part #	NPT	Pressure	Flow	Price
19MGG-165	1-1/2" x 1-1/2"	165 PSI	1750	\$524.24
19MGG-200	1-1/2" x 1-1/2"	200 PSI	2094	\$524.24
19MHH-165	2" x 2"	165 PSI	2731	\$783.04
19MHH-200	2" x 2"	200 PSI	3267	\$783.04



Condensate Drains

Electronic Timer



\$125
EAD-25ASM
Includes:
Strainer
Ball Valve



Filter Mountable
Automatic Float Drain
\$246



Freeze Protection
800230
115 Volt, 3 Prong Grounded Plug
\$1,078

\$298.89

1/2" NPT



PAM203
\$453
Filter Mountable



Excellent Tank Drain
EH38
\$175



2010344603
\$1,572

- Saves Energy
- No Wasted Air
- Operates on Demand
- See-Through vessel
- 1/2" full port ball valve



Water HOG
LH50
\$360

Use on filters and drip legs

Automatic Tank Drain Kit use with 5 HP & smaller air compressors

WV-1-1K
\$88



- Includes:
- WV-1 Drain Valve with Push-In Fitting Installed
 - Push-to-Connect T, Petcock
 - 8 ft. of Nylon Tubing
 - Installation Instructions that Cover Most Compressor Applications

Drain Cocks	Drain Cock with Pull Cord 1/4" NPT DP25	Standard Drain Cock 1/4" NPT DCEO-25
	\$13.95	\$2.50

Moisture Separators

Mechanical moisture separators are designed to remove bulk liquids and large volumes of water. They are typically installed downstream of aftercoolers, air receivers, refrigerated air dryers and at strategic points of use throughout the compressed air distribution system. The design employs an internal spinner to create a centrifugal action that effectively removes large quantities of water.



Model	Thread Size	CFM	Price
SPC155T	1/2"	50	\$173
SPC235T	3/4"	138	\$178
SPC365T	1"	215	\$249
SPC770T	1 1/2"	452	\$306
SPC1280T	2"	753	\$519
PMH WS 850	2 1/2"	850	\$1,425
PMH WS 1500	3"	1500	\$2,400

QOCS Condensate Purifier



Quincy offers with the new QOCS generation a patented way to turn oily condensate from mineral oil, synthetic oil as well as polypropylene based lubricants into harmless water that can be drained away, while capturing the oil to be easily disposed of in an environmentally friendly manner.

Model	Capacity scfm*	Price
QOCS 106	106	\$608
QOCS 180	180	\$893
QOCS 360	360	\$1,533
QOCS 636	636	\$2,311
QOCS 1325	1325	\$3,312

*See brochure for sizing instructions and technical data


Prices subject to change without notice.



AIRnet Advanced Aluminum Piping System is fast and easy to install and flexible for the future. It produces reliable distribution networks for Compressed Air, Nitrogen and Vacuum.



Pipe Sizes: 1/2" to 6"
Max. Pressure: 232 psig for 1/2" - 3/4" - 2" - 4"
189 psig for 2-1/2" - 3" - 6"



Quickdrops designed for condensate free droplines

One of our installation professionals can assist in sizing and material take offs or complete turn key installation.

INDUSTRIAL INTERCHANGE PREVOS1 SAFETY QUICK COUPLING



1/4" ID Passage/Body



Part #	Thread	Price
ISI 061201	1/4" FNPT	\$28.36
ISI 061202	3/8" FNPT	\$28.99
ISI 061203	1/2" FNPT	\$30.87



Part #	Thread	Price
ISI 061251	1/4" MNPT	\$28.98
ISI 061252	3/8" MNPT	\$28.98
ISI 061253	1/2" MNPT	\$30.86



Part #	Thread	Price
IRP 066201	1/4" FNPT	\$1.88
IRP 066202	3/8" FNPT	\$3.92



Part #	Thread	Price
IRP 066251	1/4" MNPT	\$1.88
IRP 066252	3/8" MNPT	\$2.64

Nominal Flow 34 cfm @ 100 psig



3/8" ID Passage/Body

Part #	Thread	Price
ISI 081201	1/4" FNPT	\$34.07
ISI 081202	3/8" FNPT	\$34.13
ISI 081203	1/2" FNPT	\$45.45

Part #	Thread	Price
ISI 081251	1/4" MNPT	\$33.69
ISI 081252	3/8" MNPT	\$39.30
ISI 081253	1/2" MNPT	\$39.30

Part #	Thread	Price
IRP 086201	1/4" FNPT	\$4.91
IRP 086202	3/8" FNPT	\$3.92
IRP 086203	1/2" FNPT	\$6.44

Part #	Thread	Price
IRP 086251	1/4" MNPT	\$2.91
IRP 086252	3/8" MNPT	\$3.14
IRP 086253	1/2" MNPT	\$5.75

Nominal Flow 81 cfm @ 100 psig



1/2" ID Passage/Body

Part #	Thread	Price
ISI 111202EB	3/8" FNPT	\$61.51
ISI 111203EB	1/2" FNPT	\$60.21
ISI 111204EB	3/4" FNPT	\$64.20

Part #	Thread	Price
ISI 111252EB	3/8" MNPT	\$64.12
ISI 111253EB	1/2" MNPT	\$61.26
ISI 111254EB	3/4" MNPT	\$64.53

Part #	Thread	Price
IRP 116202	3/8" FNPT	\$7.83
IRP 116203	1/2" FNPT	\$8.91
IRP 116204	3/4" FNPT	\$11.50

Part #	Thread	Price
IRP 116252	3/8" MNPT	\$8.70
IRP 116253	1/2" MNPT	\$8.91
IRP 116254	3/4" MNPT	\$11.00

Nominal Flow 148 cfm @ 100 psig

Economy Couplers & Plugs

- Industrial Interchange
- 1/4" Brass Body
- 1/4" Thread
- Max. pressure 300 psig



150 NPT Coupler \$ 6.05



152 FPT Coupler \$ 6.53



1502 NPT Plug \$1.88



1501 FPT Plug \$ 1.93

•10 psid @ 35 scfm & 100 psig

Enclosed Hose Reel - Economy - PU/PVC Hose



Part #	ID X Length	Price
DRF 1010IS	3/8" X 33'	\$261.70
DRF 1012IS	3/8" X 40'	\$274.90
DRF 1015IS	3/8" X 50'	\$307.70

- 180° swiveling bracket
- 3.3' inlet hose
- Max. pressure: 174 psi
- Temperature: 5° - 149°F
- Outlet: prevoS1 ISI 06

Enclosed Hose Reel - Industrial - Rubber Hose



Part #	ID X Length	Price
DGF 1010IS	3/8" X 33'	\$548.60
DGF 1015IS	3/8" X 40'	\$548.60
DGF 1310IS	1/2" X 33'	\$572.50

- Fixed bracket
- Inlet: 3/8" FBSP
- Inlet DGF 1310: 1/2" MBSP
- Max. pressure: 174 psi
- Temperature: 5° - 149°F
- Outlet: prevoS1 ISI 06
- Outlet DGF 1310: ISI 08

Prices subject to change without notice.

Air Preparation Units



Filter-Regulator Combo

Includes Gauge



SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Max Pressure psi	Price
1/4"	TM SM201	19.43	174	\$57.43
3/8"	TM SM202	63.54	174	\$84.76
1/2"	TM SM203	105.96	174	\$113.80
3/4"	TM 204 G	150	174	\$267.60
1"	TM 205 G	194	174	\$273.20
1/2"	TMHP 203	105.96	280	\$188.20

Filter

Max. operating poessure: 174 psi

SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Filtration μm	Price
1/4"	TF 201	28.24	25	\$33.37
3/8"	TF 202	79.42	25	\$53.73
1/2"	TF 203	123.55	25	\$60.06
3/4"	TF 204T	176	25	\$170.10
1"	TF 205T	229	25	\$177.20
1/4"	TC 201	28.24	0.01	\$77.50
1/2"	TC 203	123.55	0.01	\$116.30

Regulator

Includes Gauge



SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Max Pressure psi	Price
1/4"	TR 201G ¹	21.18	174	\$39.50
3/8"	TR 202G ¹	88.25	174	\$66.44
1/2"	TR 203G ¹	141.2	174	\$81.92
3/4"	TR 204G ²	176	174	\$176.84
1"	TR 205G ²	211	174	\$183.24

¹ MT CA1040 Square Gauge, 1/8" MBSP, 0 -145 psig included with: TR 201, TR 202 and TR 203

² MT RA1050T Round Gauge, 1/4" NPT, 0 - 145 psig included with: TR204 and TR 205

Filter-Regulator-Lubricator

3-piece-set includes gauge & wall bracket

SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Max Pressure psi	Price
1/4"	TT SM201	17.65	174	\$110.40
3/8"	TT SM202	70.60	174	\$146.00
1/2"	TT SM203	123.54	174	\$196.60



PAINTING Micro-Filter Assembly

2-piece-set includes regulator, gauge & wall bracket

SPECIFICATIONS

PIPE SIZE	Part Number	Flow Rate cfm @ 87 psi $\Delta P = 14$ psi	Filtration μm	Price
1/4"	TB CSM201	8.83	5 & 0.01	\$141.10
1/2"	TB CSM293	52.95	5 & 0.01	\$243.20

Max. operating poessure: 174 psi

Prices subject to change without notice.

Portable Micro-Filter Assembly

PAINTING

Portable Gantry

Two-Stage Filtration:

- 5 μm first stage
- 0.01 μm second stage

Regulator

Dual Outlet (ISO6)

- PREVO¹ SAFETY Coupling

Chemical Resistant Gauge



\$421.70

Float Drain Assembly

SPECIFICATIONS



Filter Port SIZE	Part Number	Price
1/4"	TD F1	\$68.76
3/8"	TD F2	\$70.10
1/2"	TD F3	\$72.59
3/4"	TD F3	\$72.59
1"	TD F3	\$72.59

Wall Bracket

SPECIFICATIONS



Filter Port SIZE	Part Number	Price
1/4"	TA S1	\$5.91
3/8"	TA S2	\$7.72
1/2"	TA S3	\$12.19
3/4"	TA S45	\$24.30
1"	TA S45	\$24.30

Module Connector

SPECIFICATIONS



Filter Port SIZE	Part Number	Price
1/4"	TA M1	\$4.05
3/8"	TA M2	\$5.70
1/2"	TA M3	\$9.14
3/4"	TA M45	\$72.59
1"	TA M45	\$72.59



toll free: 800.325.9830
email: info@pneupower.com
web: pneupower.com